

PATENT
Customer No. 22,852
Attorney Docket No. 05788.0170-00000

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:)
Giuseppe COLOMBO et al.)
Serial No.: Unassigned) Group Art Unit: Unassigned
Filed: Herewith) Examiner: Unassigned

For: METHOD AND APPARATUS FOR INTRODUCING IN CONTINUOUS A
SUBSTANCE IN LIQUID PHASE INTO PLASTICS GRANULES

being a **Continuation** of International Patent Application NO. PCT/EP99/10258 filed
December 20, 1999.

BOX PATENT APPLICATION
Assistant Commissioner for Patents
Washington, D.C. 20231

Sir:

PRELIMINARY AMENDMENT

Before examining this application, please amend the application as follows:

IN THE SPECIFICATION:

Please amend the specification as follows:

Page 1, after the title, insert a new paragraph as follows:

-- CROSS REFERENCE TO RELATED APPLICATIONS

This application is a continuation of International Application No.

PCT/EP99/10258 filed December 20, 1999, which is incorporated by reference herein

and claims the priority of EP98 204 456.2, filed December 29, 1998, and the benefit of

U.S. Provisional application No. 60/114,534, filed December 31, 1998, which is

incorporated by reference herein.--

103290-08426860

LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N.W.
WASHINGTON, DC 20005
202-408-4000

IN THE CLAIMS:

Please amend claims 13 ,22, 23 and 24 as follows:

13. (Amended Once) Method according to one of claims 2 or 3, characterized in that it further comprises the step of submitting the granules leaving the drying chamber (70) to a soaking step in order to equalize the distribution of said substance in liquid phase into each of the plastics granules.

22. (Amended Once) Apparatus (1) according to claim 20, characterized in that said at least one spraying chamber (40) further comprises a shaped insert (13, 19) adapted to define in said chamber respective flowpaths of the granules facing each of said injectors (11, 21).

23. (Amended Once) Apparatus (1) according to claims 18 or 22, characterized in that said flowpaths are defined in respective open channels (14), axially formed in said insert (13), said injector (11) being oriented in such a way as to spray the substance in liquid phase into said channels in countercurrent to the continuous flow of the granules.

24. (Amended Once) Apparatus (1) according to claims 19, 20 or 22, characterized in that said flowpaths are defined in respective closed channels (20), axially formed in said insert (19), said injector (21) being oriented in such a way as to spray the substance in liquid phase into said channels in countercurrent to the continuous flow of the granules.

LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, DC 20005
202-408-4000

[illegible]

If there is any fee due in connection with the filing of this Preliminary Amendment, please charge the fee to our Deposit Account No. 06-0916.

FINNEGAN, HENDERSON, FARABOW,
GARRETT & DUNNER, L.L.P.

Ernest F. Chapman
Reg. No. 25,961

LAW OFFICES
EGAN, HENDERSON,
LABOW, GARRETT,
DUNNER, L.L.P.
101 STREET, N. W.
WASHINGTON, DC 20005
202-408-4000

Appendix
Rule 121 Amended Claims

Serial No. To Be Assigned

Continuation of PCT/EP 99/102,58, filed 12/20/98

Atty Dkt. 05788.0170-00000

13. (Amended Once) Method according to [anyone of the preceding claims] one of claims 2 or 3, characterized in that it further comprises the step of submitting the granules leaving the drying chamber (70) to a soaking step in order to equalize the distribution of said substance in liquid phase into each of the plastics granules.
22. (Amended Once) Apparatus (1) according to claim [21] 20, characterized in that said at least one spraying chamber (40) further comprises a shaped insert (13, 19) adapted to define in said chamber respective flowpaths of the granules facing each of said injectors (11, 21).
23. (Amended Once) Apparatus (1) according to claims 18 [and] or 22, characterized in that said flowpaths are defined in respective open channels (14), axially formed in said insert (13), said injector (11) being oriented in such a way as to spray the substance in liquid phase into said channels in countercurrent to the continuous flow of the granules.
24. (Amended Once) Apparatus (1) according to claims 19, 20 [and] or 22, characterized in that said flowpaths are defined in respective closed channels (20), axially formed in said insert (19), said injector (21) being oriented in such a way as to spray the substance in liquid phase into said channels in countercurrent to the continuous flow of the granules.